Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	154	"transport format combination" and "UMTS"	US-PGPUB; USPAT	OR	OFF	2005/07/10 22:26
S67	0	(370/410,522).ccls. and format with combination$1 same bearer	USPAT	OR	OFF	2005/07/10 22:27
S66	3	(370/410,522).ccls. and transport with combination$1 same bearer	USPAT	OR	OFF	2005/07/10 22:27
S65	4	(370/410,522).ccls. and transport with combination$1 same bearer	US-PGPUB; USPAT	OR	OFF	2005/07/10 22:27
S64	45	(370/410,522).ccls. and transport with combin$8	US-PGPUB; USPAT	OR	OFF	2005/07/10 22:27
S68	3	(370/410,522).ccls. and transport with combination$1 same bearer and call with (setup set-up releas$3)	USPAT	OR	OFF	2005/07/10 22:28
S70	0	(370/410,522).ccls. and construct$3 with transport with combination$1 same bearer same (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:30
S69	3	(370/410,522).ccls. and transport with combination$1 same bearer same (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:30
S71	0	(370/410,522).ccls. and form$3 with transport with combination$1 same bearer same (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:31
S72	3	(370/410,522).ccls. and (form$3 construct$3 group$4) with (transport combin$8) and transport with combination$1 same bearer same (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:32
S75	0	(370/410,522).ccls. and (form$3 construct$3 group$4) with (transport combin$8) and format with set and bearer same (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:33
S74	0	(370/410,522).ccls. and (form$3 construct$3 group$4) with (transport combin$8) and format with set same bearer same (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:33
S73	3	(370/410,522).ccls. and (form$3 construct$3 group$4) with (transport combin$8) and transport with set same bearer same (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:33
S79	1	S78 and transport	USPAT	OR	OFF	2005/07/10 22:35

S81	1	(370/410,522).ccls. and format with combination and bearer and (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:38
S80	0	(370/410,522).ccls. and format with combination same (identification identif$4) and bearer and (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:38
S78	3	S77 not S76 not S73	USPAT	OR	OFF	2005/07/10 22:48
S76	2	(370/410,522).ccls. and (form$3 construct$3 group$4) with (transport combin$8) and format with set and bearer and (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:54
S83	0	"370".clas. and (form$3 construct$3 group$4) with transport with combination with bearer and (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:55
S82	0	(370/410,522).ccls. and (form$3 construct$3 group$4) with transport with combination with bearer and (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:55
S77	5	(370/410,522).ccls. and (form$3 construct$3 group$4) with (format combin$8) and format with set and bearer and (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:55
S85	1	(form$3 construct$3 group$4) with transport with combination with bearer same (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:56
S84	2	(form$3 construct$3 group$4) with transport with combination with bearer and (identification identif$4)	USPAT	OR	OFF	2005/07/10 22:56

S88	0	("20020051439" | "20030053426" | "5056109" | "5257283" | "5345598" | "5539728" | "5603096" | "5634195" | "5671218" | "5722051" | "5768684" | "5794129" | "5812938" | "5815798" | "5815801" | "5870393" | "5873028" | "5896411" | "5898740" | "5940430" | "5946346" | "5956649" | "6067446" | "6067458" | "6085107" | "6173007" | "6173162" | "6272354" | "6334047" | "6529482" | "6671266").PN. and format with combination and bearer and (identifier identification)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:57
S87	0	("20020051439" | "20030053426" | "5056109" | "5257283" | "5345598" | "5539728" | "5603096" | "5634195" | "5671218" | "5722051" | "5768684" | "5794129" | "5812938" | "5815798" | "5815801" | "5870393" | "5873028" | "5896411" | "5898740" | "5940430" | "5946346" | "5956649" | "6067446" | "6067458" | "6085107" | "6173007" | "6173162" | "6272354" | "6334047" | "6529482" | "6671266").PN. and transport with combination and bearer and (identifier identification)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:57
S86	31	("20020051439" | "20030053426" | "5056109" | "5257283" | "5345598" | "5539728" | "5603096" | "5634195" | "5671218" | "5722051" | "5768684" | "5794129" | "5812938" | "5815798" | "5815801" | "5870393" | "5873028" | "5896411" | "5898740" | "5940430" | "5946346" | "5956649" | "6067446" | "6067458" | "6085107" | "6173007" | "6173162" | "6272354" | "6334047" | "6529482" | "6671266").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:57

S89	0	("20020051439" | "20030053426" | "5056109" | "5257283" | "5345598" | "5539728" | "5603096" | "5634195" | "5671218" | "5722051" | "5768684" | "5794129" | "5812938" | "5815798" | "5815801" | "5870393" | "5873028" | "5896411" | "5898740" | "5940430" | "5946346" | "5956649" | "6067446" | "6067458" | "6085107" | "6173007" | "6173162" | "6272354" | "6334047" | "6529482" | "6671266").PN. and (transport format) with (combination set) and (bearer channel path) and (identifier identification)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:58
S92	1	("5757772" | "5940763" | "6307843" | "6363058" | "6374112" | "6477670" | "6542490" | "6542516").PN. and (transport format) with (combination set) and (bearer channel path) and (identifier identification)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:59
S91	8	("5757772" | "5940763" | "6307843" | "6363058" | "6374112" | "6477670" | "6542490" | "6542516").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 22:59
S93	0	("5757772" | "5940763" | "6307843" | "6363058" | "6374112" | "6477670" | "6542490" | "6542516").PN. and (transport format) with (combination set) and (bearer channel path) and (identifier identification) and construct$	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 23:00
S94	1	("5757772" | "5940763" | "6307843" | "6363058" | "6374112" | "6477670" | "6542490" | "6542516").PN. and (transport format) with (combination set) and (bearer channel path) and (identifier identification) and (group$4 form$3 creat$3) with (transport combination set format)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 23:04

S96	2996	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct$3 group$4 form$3 creat$3) with (combination set) and ("370".clas. "455".clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 23:05
S99	349	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct$3 group$4) with (combination set) and "370".clas. and identifier	USPAT	OR	ON	2005/07/10 23:06
S98	512	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct$3 group$4) with (combination set) and "370".clas.	USPAT	OR	ON	2005/07/10 23:06
S97	1744	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct$3 group$4 form$3 creat$3) with (combination set) and ("370".clas. "455".clas.)	USPAT	OR	ON	2005/07/10 23:06
S10 1	6	S100 and combination with set	USPAT	OR	ON	2005/07/10 23:09
S10 2	2	S101 and bearer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 23:10
S10 0	39	(transport format) with (combination set) and (bearer channel path) and identifier and (construct$3 group$4) with (combination set) and "370".clas. and transport with combination	USPAT	OR	ON	2005/07/10 23:10
S10 4	9	S100 and (allowable valid invalid) with (bearer TFC combination set TFCS)	USPAT	OR	ON	2005/07/10 23:11
S10 3	22	S100 and (allowable valid invalid)	USPAT	OR	ON	2005/07/10 23:11
S10 5	222	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct$3 group$4 form$3 creat$3) with (combination set) and format with (combination set) and bearer	USPAT	OR	ON	2005/07/10 23:13

S95	17388	(transport format) with (combination set) and (bearer channel path) and (identifier identification) and (construct$3 group$4 form$3 creat$3) with (combination set)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 23:13
S106	5	S105 and tf and tfc	USPAT	OR	ON	2005/07/10 23:14
S107	7	S105 and tfcs	USPAT	OR	ON	2005/07/10 23:15
S108	2	S107 not S106	USPAT	OR	ON	2005/07/10 23:16
S110	13	(construct$3 creat$3 form$3 group$4) same (valid allowable) with transport with combination	USPAT	OR	ON	2005/07/10 23:17
S109	2	construct$3 same (valid allowable) with transport with combination	USPAT	OR	ON	2005/07/10 23:17
S111	11	S110 not S109	USPAT	OR	ON	2005/07/10 23:18
S113	0	("5729532" "5701295" "5574724").pn. and construct$3	USPAT	OR	ON	2005/07/10 23:19
S112	7	S111 and (bearer path)	USPAT	OR	ON	2005/07/10 23:19
S118	0	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same combination	USPAT	OR	ON	2005/07/10 23:20
S117	0	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same transport same combination	USPAT	OR	ON	2005/07/10 23:20
S115	0	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same (valid allowable)	USPAT	OR	ON	2005/07/10 23:20
S114	0	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same (valid allowable) same (transport combination)	USPAT	OR	ON	2005/07/10 23:20
S120	0	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same combination	USPAT	OR	ON	2005/07/10 23:21
S119	0	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) with combination	USPAT	OR	ON	2005/07/10 23:21

S11 6	3	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same (transport combination)	USPAT	OR	ON	2005/07/10 23:21
S12 3	3	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same transport and bearer with transport	USPAT	OR	ON	2005/07/10 23:22
S12 2	3	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same transport and bearer	USPAT	OR	ON	2005/07/10 23:22
S12 1	3	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same transport	USPAT	OR	ON	2005/07/10 23:22
S12 5	3	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same transport and bearer with transport with message and plural$8	USPAT	OR	ON	2005/07/10 23:23
S12 4	3	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 form$3 group$4) same transport and bearer with transport with message	USPAT	OR	ON	2005/07/10 23:23
S12 7	0	S126 and format	USPAT	OR	ON	2005/07/10 23:24
S12 6	1	("5729532" "5701295" "5574724").pn. and (construct$3 creat$3 group$4) same transport and bearer with transport with message and plural$8	USPAT	OR	ON	2005/07/10 23:24
S12 8	1	S126 and differ$9 with protocol	USPAT	OR	ON	2005/07/10 23:25